

525 PCT/PTO 22 JUL 2002

Practitioner's Docket No. 946999.00002-5

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Torghele, Claudio; Malfatti, Pierluigi

International Application No.: PCT/EP01/04656

International Filing Date: 25 April 2001

Application No.: 10/030,287

Filed: January 7, 2002

For: Dough Mixer with Metering Device

Box Missing Part
Assistant Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO NOTIFICATION OF DEFECTIVE RESPONSE

This communication is in response to the Notification of Defective Response which was mailed by the United States Patent and Trademark Office on June 18, 2002.

The Notification of Defective Response requested that a new Oath or Declaration of the inventors in compliance with 37 CFR 1.497(a) and (b), identifying the application by the International application number and international filing date be submitted. Accordingly, submitted herewith is an executed Combined Declaration and Power of Attorney identifying the application by the international application number and international filing date.

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*
(When using Express Mail, the Express Mail label number is *mandatory*;
Express Mail certification is optional.)

677475.1 7/16/02

MAILING

☒ deposited with the United States Postal Service in an envelope addressed to the Assistant Commissioner for Patents, Washington D.C. 20231
37 C.F.R. § 1.8(a)
☒ with sufficient postage as first class mail.

☐ as "Express Mail Post Office to Addressee"
Mailing Label No. _____ (mandatory)

TRANSMISSION

☐ facsimile transmitted to the Patent and Trademark Office, (703) _____

Date: July 17, 2002


Kathy Krajicek
Signature
KATHY KRAJICEK
(type or print name of person certifying)

* Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1.8 continues to be taken into account in determining timeliness. See § 1.703(f). Consider "Express Mail Post Office to Addressee" (§ 1.10) or facsimile transmission (§ 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.

Applicants believe that no additional fee is required with this Response to Notification of Defective Response. The Commissioner is authorized, however, to charge Deposit Account No. 50-1089 for any fee that may be due by this Response.

A duplicate of this paper is attached.

Reg. No.: 43,631
Tel. No.: 215-972-8387



Bruce D. George
Saul Ewing LLP
Centre Square West
1500 Market Street, 38th Floor
Philadelphia, PA 19102